

## Wound Healing and Inflammation a Review of the Current Evidence on the Role of Inflammatory Mediators

Prabhakar Singh Patel<sup>1</sup>, Sameera Raini<sup>2</sup>, Shambhavi Srivastava<sup>3</sup>

<sup>1</sup>Assistant Lecturer, Samarpan Institute of Nursing and Paramedical Sciences, Lucknow

<sup>2</sup>Assistant Lecturer, Samarpan Institute of Nursing and Paramedical Sciences, Lucknow

<sup>3</sup>Nursing Tutor, Samarpan Institute of Nursing and Paramedical Sciences, Lucknow

**Corresponding author :** Prabhakar Singh Patel, Assistant Lecturer, Samarpan Institute of Nursing and Paramedical Sciences, Lucknow

**Corresponding E-mail :** bhairaaj43@gmail.com

### Abstract

**Background :** A complex biological process, wound healing involves the coordinated interaction of molecular and cellular systems. It is an essential physiological reaction that guarantees tissue integrity after damage. Many variables, such as immune cells, extracellular matrix components, and inflammatory mediators, strictly regulate the process. Initiating tissue repair, attracting immune cells, and avoiding infections all depend on the early inflammatory response. However, whether wound healing occurs optimally or is hampered depends on the degree and duration of inflammation. By coordinating immune responses, tissue healing, and remodeling, inflammatory mediators are essential in controlling this process. These mediators, which each have a distinct role in different phases of healing, include cytokines, chemokines, growth factors, reactive oxygen species (ROS), and nitric oxide (NO). Early immune responses are triggered by pro-inflammatory mediators like tumor necrosis factor-alpha (TNF- $\alpha$ ) and interleukin-1 $\beta$  (IL-1 $\beta$ ), whereas anti-inflammatory mediators like interleukin-10 (IL-10) and transforming growth factor-beta (TGF- $\beta$ ) aid in the wound's transition from the inflammatory to the repair phases. One This study examines the available data about the function of inflammatory mediators in wound healing, highlighting how they can both aid and hinder the healing process. While efficient repair requires acute inflammation, chronic wounds, fibrosis, and delayed healing can result from excessive or protracted inflammation. Successful healing outcomes thus depend on the delicate balance between pro-inflammatory and anti-inflammatory mediators.<sup>1</sup>

**Keywords :** Wound healing, inflammation, inflammatory mediators, cytokines, tissue repair

GFNPSS Global Nursing Journal of India is a journal of Open access. In this journal, we allow all types of articles to be distributed freely and accessible under the terms of the creative common attribution- non-commercial share.

This allows the authors, readers and scholars and general public to read, use and to develop non-commercially work, as long as appropriate credit is given and the newly developed work are licensed with similar terms.

**How to cite this article :** Patel PS, Raini S, Srivastava S. Wound Healing and Inflammation a Review of the Current Evidence on the Role of Inflammatory Mediators. Glob. Nurs. J. India 2024; 8: I: 772-774.

Submitted : 16/03/2025, Accepted : 11/04/2025, Published : 04/05/2025

### Introduction

Effective tissue regeneration requires a balanced inflammatory response that is mediated by growth factors, chemokines,

and cytokines. Clarifying the function of important inflammatory mediators in wound healing and going over their potential therapeutic applications are the goals of this review.<sup>2</sup>

A deeper understanding of these mechanisms may aid in the development of targeted therapeutic interventions, such as biologics, stem cell therapy, and nanotechnology-based drug delivery systems, to optimize wound management. This review aims to provide insights into the molecular pathways governing inflammation in wound healing and highlight emerging strategies for improving clinical outcomes

### Phases of Wound Healing

The wound healing process consists of distinct yet interconnected stages:

- ❖ **Hemostasis** : Initiated immediately after injury, platelets aggregate to form a fibrin clot, preventing further bleeding<sup>5</sup>.
- ❖ **Inflammation** : Neutrophils and macrophages infiltrate the wound site, releasing cytokines and reactive oxygen species (ROS) to combat infection<sup>6</sup>.
- ❖ **Proliferation** : Fibroblasts and keratinocytes promote granulation tissue formation, angiogenesis, and re-epithelialization<sup>7</sup>.
- ❖ **Remodeling** : Collagen deposition and extracellular matrix (ECM) remodeling strengthen the repaired tissue<sup>8</sup>.

Each phase is tightly regulated by inflammatory mediators that influence the progression and resolution of healing.

### Key Inflammatory Mediators in Wound Healing

Inflammatory mediators play diverse roles in coordinating immune responses and tissue repair. Major categories include :

#### Cytokines and Chemokines

- ❖ **Pro-inflammatory Cytokines** : Tumor necrosis factor-alpha (TNF- $\alpha$ ), interleukin-1 $\beta$  (IL-1 $\beta$ ), and interleukin-6 (IL-6) initiate inflammation by activating immune cells<sup>9</sup>.
- ❖ **Anti-inflammatory Cytokines** : Interleukin-10 (IL-10) and transforming growth factor-beta (TGF- $\beta$ ) regulate immune suppression and promote tissue remodeling<sup>10</sup>.
- ❖ **Chemokines** : CCL2 and CXCL8 attract neutrophils and macrophages, guiding immune cell infiltration to the wound site<sup>11</sup>.

### 3 Growth Factors

- ❖ Platelet-derived Growth Factor (PDGF): Stimulates fibroblast proliferation and angiogenesis<sup>12</sup>.

- ❖ Vascular Endothelial Growth Factor (VEGF): Enhances vascularization, ensuring adequate oxygen and nutrient supply<sup>13</sup>.
- ❖ Epidermal Growth Factor (EGF): Promotes keratinocyte migration and epithelialization<sup>14</sup>.

### 3.3 Reactive Oxygen Species (ROS) and Nitric Oxide (NO)

- ❖ ROS serve as signaling molecules that modulate inflammation and antimicrobial defense<sup>15</sup>.
- ❖ NO regulates vasodilation and immune cell activity, influencing wound repair outcomes<sup>16</sup>.

### The Dual Role of Inflammation in Wound Healing

Inflammation is a double-edged sword in wound healing. While essential for initial immune defense and tissue repair, excessive or unresolved inflammation can impair healing and lead to chronic wounds<sup>17</sup>. Conditions such as diabetes, infections, and ischemia exacerbate prolonged inflammatory responses, disrupting tissue regeneration<sup>18</sup>. Strategies to modulate inflammation include:

- ❖ Targeting pro-inflammatory cytokines with anti-TNF or IL-1 inhibitors<sup>19</sup>.
- ❖ Enhancing anti-inflammatory mediators like IL-10 and TGF- $\beta$ <sup>20</sup>.
- ❖ Utilizing antioxidant therapies to balance ROS levels<sup>21</sup>.

### Therapeutic Implications and Future Directions

Advancements in wound healing therapies focus on controlling inflammatory mediators for optimal tissue repair. Current strategies include :

- ❖ **Biologics and Growth Factor Therapy** : Recombinant EGF and VEGF enhance re-epithelialization<sup>22</sup>.
- ❖ **Stem Cell Therapy** : Mesenchymal stem cells modulate inflammation and promote regeneration<sup>23</sup>.
- ❖ **Nanotechnology-Based Drug Delivery** : Targeted delivery of anti-inflammatory agents reduces systemic side effects<sup>24</sup>.
- ❖ **Gene Therapy** : Modulating cytokine expression through gene editing enhances wound healing outcomes<sup>25</sup>.

Future research should aim to refine these approaches, ensuring personalized wound care strategies tailored to individual patient needs.

## Conclusions

Inflammatory mediators play a crucial role in regulating wound healing, influencing immune responses, tissue repair, and remodeling. While inflammation is necessary for initiating healing, dysregulated or prolonged inflammation can impair the process, leading to chronic wounds. Understanding the balance between pro-inflammatory and anti-inflammatory signals is essential for developing effective therapeutic interventions. Advances in biotechnology, nanomedicine, and regenerative medicine offer promising avenues for optimizing wound healing and improving patient outcomes.

Recent studies have highlighted the importance of resolving inflammation in wound healing, with a focus on identifying novel therapeutic targets and strategies to modulate inflammatory responses. For instance, research on specialized pro-resolving mediators (SPMs) has shown promise in promoting tissue repair and reducing inflammation. Additionally, the development of biomaterials and scaffolds that can regulate inflammation and support tissue regeneration has emerged as a promising area of research. By leveraging these advances, clinicians and researchers can work towards developing more effective treatments for wound healing, ultimately improving patient outcomes and reducing the burden of chronic wounds on healthcare systems.

**Financial support and sponsorship :** Nil

**Conflicts of interest :** The author declare that they have no conflict of interest with regard to the content of the report.

## References

1. Singer AJ, Clark RA. Cutaneous wound healing. *N Engl J Med.* 1999;341(10):738-746.
2. Gurtner GC, Werner S, Barrandon Y, Longaker MT. Wound repair and regeneration. *Nature.* 2008;453(7193):314-321.
3. Eming SA, Martin P, Tomic-Canic M. Wound repair and regeneration: Mechanisms, signaling, and translation. *Sci Transl Med.* 2014;6(265):265sr6.
4. Koh TJ, DiPietro LA. Inflammation and wound healing: The role of the macrophage. *Expert Rev Mol Med.* 2011;13:e23.
5. Martin P. Wound healing--aiming for perfect skin regeneration. *Science.* 1997;276(5309):75-81.
6. Wilgus TA. Immune cells in the healing skin wound: Influential players at each stage of repair. *Pharmacol Res.* 2008;58(2):112-116.
7. Gantwerker EA, Hom DB. Skin: Histology and physiology of wound healing. *Facial Plast Surg Clin North Am.* 2011;19(3):441-453.
8. Pastar I, Stojadinovic O, Yin NC, et al. Epithelialization in wound healing: A comprehensive review. *Adv Wound Care.* 2014;3(7):445-464.
9. Barrientos S, Stojadinovic O, Golinko MS, Brem H, Tomic-Canic M. Growth factors and cytokines in wound healing. *Wound Repair Regen.* 2008;16(5):585-601.
10. Ferrara N. VEGF and the quest for tumour angiogenesis factors. *Nat Rev Cancer.* 2002;2(10):795-803.
11. Diegelmann RF, Evans MC. Wound healing: An overview of acute, fibrotic, and delayed healing. *Front Biosci.* 2004;9:283-289.
12. Takeo M, Lee W, Ito M. Wound healing and skin regeneration. *Cold Spring Harb Perspect Med.* 2015;5(1):a023267.
13. Sen CK. Wound healing essentials: Let there be oxygen. *Wound Repair Regen.* 2009;17(1):1-18.
14. Reinke JM, Sorg H. Wound repair and regeneration. *Eur Surg Res.* 2012;49(1):35-43.
15. Xu J, Clark RA. Extracellular matrix: An important regulator of cell functions in cutaneous wound repair. *Am J Pathol.* 1996;148(5):1461-1469.

